Journal of
POLYMER SCIENCE

VOLUME XXIV • 1957

Editorial Board:
W. T. ASTBURY • P. M. DOTY • R. M. FUOSS • J. J. HERMANS • H. MARK

Advisory Board:

T. ALFREY, JR.
Midland, Mich.

P. D. BARTLETT
Cambridge, Mass.

H. BENOIT
Strasbourg

E. R. BLOUT
Cambridge, Mass.

J. W. BREITENBACH
Vienna

C. W. BUNN
Welwyn Garden City

G. M. BURNETT
Aberdeen

S. CLAESSON
Uppsala

F. S. DAINTON
Leeds

P. DEBYE
Ithaca, N. Y.

P. J. FLORY
Ithaca, N. Y.

G. GEE
Welwyn Garden City

J. J. HERMANS
Groningen

A. KATCHALSKY
Rehovot

G. M. KLINE
Washington, D. C.

I. M. KOLTHOFF
Minneapolis, Minn.

W. KUHN
Basel

M. MAGAT
Paris

C. S. MARVEL
Urbana, Ill.

H. W. MELVILLE
Birmingham

G. NATTA
Milan

A. PETERLIN
Ljubljana

C. C. PRICE
Philadelphia, Pa.

CH. SADRON
Strasbourg

G. V. SCHULZ
Mainz

G. SMETS
Louvain

H. M. SPURLIN
Wilmington, Del.

A. J. STAVERMAN
Delft

W. H. STOCKMAYER
Cambridge, Mass.

A. V. TOBOLSKY
Princeton, N. J.

K. UEBERREITER
Berlin

B. H. ZIMM
Schenectady, N. Y.

INTERSCIENCE PUBLISHERS, INC.

© 1957, by Interscience Publishers, Inc.

CONTENTS

Vol. XXIV, Issue Nos. 105–107, 1957

Journal of Polymer Science

ISSUE NO. 105, MARCH

ROBERT L. MERKER and MARY JANE SCOTT: Viscometric Properties of Salicyloxymethyldimethyl End-Blocked Dimethylpolysiloxanes 1

WILFRED H. WARD: Relationships among Variously Weighted Average Properties Including Molecular Weights 11

PHILIP C. SCHERER, DAVID W. LEVI, and MILLER C. HAWKINS: Determination of Average Molecular Weight of Cellulose Acetate by Dielectric Dispersion in Solution 19

M. N. VRANCKEN and JOHN D. FERRY: Dilatometric Measurements on Gels of Cellulose Tributyrate and Cellulose Nitrate 27

GEORGE C. SCHWEIKER and PAUL ROBITSCHEK: Condensation Polymers Containing Fluorine. I. Synthesis of Linear Polyesters from Fluorine-Containing Diols 33

W. M. THOMAS, E. H. GLEASON, and G. MINO: Acrylonitrile Polymerization in Aqueous Suspension 43

E. H. BOASSON and J. M. WOESTENENK: Some Aspects of the Crystallization of Nylon 66 (Polyhexamethylene Adipamide) 57

J. SIVADJIAN: Measure of Permeability of Plastic Material, Leather, and Similar Substances against Moistness and Water by the Hygrophotographic Method 63

K. LAUER, J. E. AYER, and ABDEL LATIF A. SEOUD: The System Cellulose–Methanol 67

JOGINDER LAL, RICHARD GREEN, and SYLVIA ELLIS: New Polymerization Catalysts for Methyl Methacrylate 75

HOWARD C. HAAS, PANDURANG M. KAMATH, and NORMAN W. SCHULER: Ionic Grafting 85

MARVIN C. TOBIN and MATTHEW J. CARRANO: Infrared Determination of Orientation, Orientation Distribution, and Crystallinity in Polyethylene Films 93

R. F. STEINER and A. J. MCALISTER: Use of the Fluorescence Technique as an Absolute Method for Obtaining Mean Relaxation Times of Globular Proteins 105

MASAKAZU MATSUMOTO and KIYOKAZU IMAI: Viscosity of Dilute Solutions of Polyvinyl Alcohol 125

LETTERS TO THE EDITORS

R. P. BUCKLEY, A. REMBAUM, and M. SZWARC: Methyl Affinities of Vinyl Monomers. Ethylene and Its Homologues 135

T. GARCIA-BORRAS and J. V. CAVENDER: Aging of High Density Polyethylene 138

MALCOLM DOLE and BERNHARD WUNDERLICH: The Melting Range of Semicrystalline Copolymers. II 139
PANDURANG M. KAMATH and HOWARD C. HAAS: Chain Transfer in the Ionic Polymerization of *p*-Methoxystyrene 143
VICTOR K. LA MER and IGOR W. PLESNER: Rapid Determination of Particle Size in Monodisperse Latex Suspensions 147
CHARLES O. BOSTWICK: Observing Porosity in Fibers and Fiber Cross-sections 150
E. M. LA COMBE: Color Formation in Polyacrylonitrile 152
P. REMPP and H. BENOIT: Light Scattering Standard for Molecular Weight Determinations 155
T. KOBAYASHI, A. CHITALE, and H. P. FRANK: A High Temperature Light Scattering Instrument and Some Results on Polyethylene 156

ERRATUM

COLIN L. BROWNE and RICHARD STEELE: Effect of Some Organic Acids on the Diffusion of Orange II in Nylon 66 (article in *J. Polymer Sci.*, **21**, 279, 1956) 124

ISSUE NO. 106, APRIL

FERDINANDO DANUSSO and GIOVANNI MORAGLIO: Some Solution Properties of Isotactic and Atactic Polystyrenes 161
W. P. SLICHTER: Nuclear Magnetic Resonance in Some Fluorine Derivatives of Polyethylene 173
F. BUECHE: Tensile Strength of Rubbers 189
BERNHARD WUNDERLICH and MALCOLM DOLE: Specific Heat of Synthetic High Polymers. VIII. Low Pressure Polyethylene 201
E. J. MEEHAN, I. M. KOLTHOFF, NORA TAMBERG, and C. L. SEGAL: Mechanism of Retardation in Emulsion Polymerization of Styrene 215
HIROSHI FUJITA and KAZUHIKO NINOMIYA: Dependence of Mechanical Relaxation Spectra of Linear Amorphous Polymers on the Distribution of Molecular Weights 233
S. RONDOU, G. SMETS, and M. C. DE WILDE-DELVAUX: Polymers and Group Interaction. V. Reaction of Diazomethane on Polymethacroyl Chloride 261
N. T. NOTLEY and P. DEBYE: Dimensions of Linear Polystyrene Molecules in Solution: Molecular Weight Dependence for Low Molecular Weights 275

LETTERS TO THE EDITORS

P. EHRLICH, J. D. COTMAN, JR., and W. F. YATES: On the Oxygen-Initiated Polymerization of Ethylene 283
Z. ZLÁMAL, L. AMBROŽ, and K. VESELÝ: Influence of Impurities on the Cationic Polymerization of Isobutene 285
C. F. HAMMER, W. WILFRIED BRANDT, and W. L. PETICOLAS: Long Range Molecular Order in Polyethylene 291
E. M. BEVILACQUA: Grafting in Natural Rubber 292
O. W. LUNDSTEDT and E. M. BEVILACQUA: Polystyrene-Rubber Blends 297

Atsuo Nishioka and Muneo Watanabe: Viscosity and Elasticity of Polytetrafluoroethylene Resin above the Melting Point..... 298
J. W. Breitenbach und H. Frittum: Azoxyverbindungen als photochemische Radikalquellen..... 300
P. H. Till, Jr.: The Growth of Single Crystals of Linear Polyethylene..... 301
P. Goodman: Melting of Cellulose Tricaprylate..... 307
C. D. Miller: A New Technique for Studying Photooxidative Erosion of Polymer Films..... 311
W. H. Stockmayer: Note on the Kinetics of Emulsion Polymerization..... 314
V. D. Gupta: Crystallite Orientation in Some Cellulose Fibers... 317

Issue No. 107, May

H. Takenaka: The Interaction Parameter for Solutions of Nitrocellulose in Acetone..... 321
L. H. Tung: Molecular Weight-Intrinsic Viscosity Relationship and Molecular Weight Distribution of Low Pressure Polyethylenes..... 333
George E. Ham: Anomalous Behavior of Vinylidene Cyanide in Copolymerization..... 349
Folke Alvång and Olof Samuelson: A Comparison of Different Membranes for Osmotic Determination of the Molecular Weight of Nitrocellulose..... 353
Roger K. Graham: Preparation of Graft Copolymers by the Reaction of Primary Amine-Terminated Polystyrene with Copolymers Containing β-Isocyanatoethyl Methacrylate..... 367
Richard S. Stein: Measurement of Birefringence of Biaxially Oriented Films..... 383
Henry A. Bent: Permeability to Liquids of Polyethylene and Irradiated Polyethylene..... 387
Charles P. Roe and P. D. Brass: The Rate of Particle Growth in Persulfate Initiated Emulsion Polymerization..... 401
Kensal Van Holde: A Study of the Creep of Nitrocellulose..... 417
L. H. Cragg and C. C. Bigelow: Viscometric Evidence of Critical Concentration in Dilute Polymer Solution..... 429
L. Valentine: Some Aspects of the Direct and Cyclohexanone-Sensitized Photopolymerization of Vinyl Chloride..... 439
Frederick A. Bettelheim and David H. Volman: Pectic Substances—Water. II. Thermodynamics of Water Vapor Sorption..... 445
Alphonse Plaza, Forrest H. Norris, and Richard S. Stein: Scattering of Light by Thin Polymer Films. An Apparatus for Measurement of Scattering at Very Low Angles..... 455
A. J. G. Allan: Wettability and Friction of Polytetrafluoroethylene Film: Effect of Prebonding Treatments..... 461
F. M. Merrett: Graft Polymers with Preset Molecular Configurations..... 467

LETTERS TO THE EDITORS

Eugene Guth and Hubert M. James: An Experimental Verification of the Network Theory of Rubber Elasticity..... 479

CHARLES W. LEWIS: The Diffusion of Volatile Decomposition Products in Thick Films 481
A. A. HARNESS: Viscometry Nomenclature 484
FREDERICK A. BETTELHEIM and DAVID H. VOLMAN: The Sorption of Water Vapor by Calcium Pectate 485
T. G. MAJURY: The Influence of Water on the DP of "Stabilized" Polycaprolactam 488
A. A. HARNESS: A Note on Some Anomalous Osmotic Results, Traced to Partial Drying of the Cellophane Membranes 492
P. F. ONYON: Reflection Corrections in Light Scattering Measurements 493
P. W. TEARE and D. R. HOLMES: Extra Reflections in the X-Ray Diffraction Pattern of Polyethylenes and Polymethylenes 496
G. KAVAFIAN: Observations on the Behavior of Linear Polyethylenes Derived from Heat Degradation Studies 499

BOOK REVIEWS

Steric Effects in Organic Chemistry, MELVIN S. NEWMAN, ed. Reviewed by A. WEISSBERGER 444
Ordnungszustände und Umwandlungserscheinungen in festen hochpolymeren Stoffen, H. A. STUART, ed. Reviewed by HERBERT LEADERMAN 502
Author Index, Volume XXIV 503
Subject Index, Volume XXIV 505

AUTHOR INDEX, VOLUME XXIV

Allan, A. J. G.: Wettability and friction of polytetrafluoroethylene film: Effect of prebonding treatments, 461

Alvâng, F., and Samuelson, O.: A comparison of different membranes for osmotic determination of the molecular weight of nitrocellulose, 353

Ambrož, L.: see Zlámal, Z.

Ayer, J. E.: see Lauer, K.

Benoit, H.: see Rempp, P.

Bent, H. A.: Permeability to liquids of polyethylene and irradiated polyethylene, 387

Bettelheim, F. A., and Volman, D. H.: Pectic substances—water. II. Thermodynamics of water vapor sorption, 445

——, and ——: The sorption of water vapor by calcium pectate, 485

Bevilacqua, E. M.: Grafting in natural rubber, 292

——: see Lundstedt, O. W.

Bigelow, C. C.: see Cragg, L. H.

Boasson, E. H., and Woestenenk, J. M.: Some aspects of the crystallization of nylon 66 (polyhexamethylene adipamide), 57

Bostwick, C. O.: Observing porosity in fibers and fiber cross-sections, 150

Brandt, W. W.: see Hammer, C. F.

Brass, P. D.: see Roe, C. P.

Breitenbach, J. W., and Frittum, H.: Azoxyverbindungen als photochemische Radikalquellen, 300

Browne, C. L., and Steele, R.: Effect of some organic acids on the diffusion of Orange II in nylon 66: *erratum*, 124

Buckley, R. P., Rembaum, A., and Szwarc, M.: Methyl affinities of vinyl monomers. Ethylene and its homologues, 135

Buecche, F.: Tensile strength of rubbers, 189

Carrano, M. J.: see Tobin, M. C.

Cavender, J. V.: see Garcia-Borras, T.

Chitale, A.: see Kobayashi, T.

Cotman, Jr., J. D.: see Ehrlich, P.

Cragg, L. H., and Bigelow, C. C.: Viscometric evidence of critical concentration in dilute polymer solution, 429

Danusso, F., and Moraglio, G.: Some solution properties of isotactic and atactic polystyrene, 161

Debye, P.: see Notley, N. T.

Dole, M., and Wunderlich, B.: The melting range of semicrystalline copolymers. II, 139

——: see Wunderlich, B.

Ehrlich, P., Cotman, Jr., J. D., and Yates, W. F.: On the oxygen-initiated polymerization of ethylene, 283

Ellis, S.: see Lal, J.

Ferry, J. D.: see Vrancken, M. N.

Frank, H. P.: see Kobayashi, T.

Frittum, H.: see Breitenbach, J. W.

Fujita, H., and Ninomiya, K.: Dependence of mechanical relaxation spectra of linear amorphous polymers on the distribution of molecular weights, 233

Garcia-Borras, T., and Cavender, J. V.: Aging of high density polyethylene, 138

Gleason, E. H.: see Thomas, W. M.

Goodman, P.: Melting of cellulose tricaprylate, 307

Graham, R. K.: Preparation of graft copolymers by the reaction of primary amine-terminated polystyrene with copolymers containing β-isocyanatoethyl methacrylate, 367

Green, R.: see Lal, J.

Gupta, V. D.: Crystallite orientation in some cellulose fibers, 317

Guth, E., and James, H. M.: An experimental verification of the network theory of rubber elasticity, 479

Haas, H. C., Kamath, P. M., and Schuler, N. W.: Ionic grafting, 85

——: see Kamath, P. M.

Ham, G. E.: Anomalous behavior of vinylidene cyanide in copolymerization, 349

Hammer, C. F., Brandt, W. W., and Peticolas, W. L.: Long range molecular order in polyethylene, 291

Harness, A. A.: Viscometry nomenclature, 484

——: A note on some anomalous osmotic results, traced to partial drying of the cellophane membranes, 492

Hawkins, M. C.: see Scherer, P. C.

Holmes, D. R.: see Teare, P. W.

Imai, K.: see Matsumoto, M.

James, H. M.: see Guth, E.

Kamath, P. M., and Haas, H. C.: Chain transfer in the ionic polymerization of *p*-methoxystyrene, 143

——: see Haas, H. C.

Kavafian, G.: Observations on the behavior of linear polyethylenes derived from heat degradation studies, 499

Kobayashi, T., Chitale, A., and Frank, H. P.: A high temperature light scattering instrument and some results on polyethylene, 156

Kolthoff, I. M.: see Meehan, E. J.

La Combe, E. M.: Color formation in polyacrylonitrile, 152

Lal, J., Green, R., and Ellis, S.: New polymerization catalysts for methyl methacrylate, 75

La Mer, V. K., and Plesner, I. W.: Rapid determination of particle size in monodisperse latex suspensions, 147

Lauer, K., Ayer, J. E., and Seoud, A. L. A.: The system cellulose-methanol, 67
Levi, D. W.: see Scherer, P. C.
Lewis, C. W.: The diffusion of volatile decomposition products in thick films, 481
Lundstedt, O. W., and Bevilacqua, E. M.: Polystyrene-rubber blends, 297
McAlister, A. J.: see Steiner, R. F.
Majury, T. G.: The influence of water on the DP of "stabilized" polycaprolactam, 488
Matsumoto, M., and Imai, K.: Viscosity of dilute solutions of polyvinyl alcohol, 125
Meehan, E. J., Kolthoff, I. M., Tamberg, N., and Segal, C. L.: Mechanism of retardation in emulsion polymerization of styrene, 215
Merker, R. L., and Scott, M. J.: Viscometric properties of salicyloxymethyldimethyl end-blocked dimethylpolysiloxanes, 1
Merrett, F. M.: Graft polymers with preset molecular configurations, 467
Miller, C. D.: A new technique for studying photooxidative erosion of polymer films, 311
Mino, G.: see Thomas, W. M.
Moraglio, G.: see Danusso, F.
Ninomiya, K.: see Fujita, H.
Nishioka, A., and Watanabe, M.: Viscosity and elasticity of polytetrafluoroethylene resins above the melting point, 298
Norris, F. H.: see Plaza, A.
Notley, N. T., and Debye, P.: Dimensions of linear polystyrene molecules in solution: Molecular weight dependence for low molecular weights, 275
Onyon, P. F.: Reflection corrections in light scattering measurements, 493
Peticolas, W. L.: see Hammer, C. F.
Plaza, A., Norris, F. H., and Stein, R. S.: Scattering of light by thin polymer films. An apparatus for measurement of scattering at very low angles, 455
Plesner, I. W.: see La Mer, V. K.
Rembaum, A.: see Buckley, R. P.
Rempp, P., and Benoit, H.: Light scattering standard for molecular weight determinations, 155
Robitschek, P.: see Schweiker, G. C.
Roe, C. P., and Brass, P. D.: The rate of particle growth in persulfate initiated emulsion polymerization, 401
Rondou, S., Smets, G., and Wilde-Delvaux, M. C. de: Polymers and group interaction. V. Reaction of diazomethane on polymethacroyl chloride, 261
Samuelson, O.: see Alvång, F.
Scherer, P. C., Levi, D. W., and Hawkins, M. C.: Determination of average molecular weight of cellulose acetate by dielectric dispersion in solution, 19
Schuler, N. W.: see Haas, H. C.
Schweiker, G. C., and Robitschek, P.: Condensation polymers containing fluorine. I. Synthesis of linear polyesters from fluorine-containing diols, 33
Scott, M. J.: see Merker, R. L.
Segal, C. L.: see Meehan, E. J.
Seoud, A. L. A.: see Lauer, K.
Sivadjian, J.: Measure of permeability of plastic material, leather, and similar substances against moistness and water by the hygrophotographic method, 63
Slichter, W. P.: Nuclear magnetic resonance in some fluorine derivatives of polyethylene, 173
Smets, G.: see Rondou, S.
Steele, R.: See Browne, C. L.
Stein, R. S.: Measurement of birefringence of biaxially oriented films, 383
——: see Plaza, A.
Steiner, R. F., and McAlister, A. J.: Use of the fluorescence technique as an absolute method for obtaining mean relaxation times of globular proteins, 105
Stockmayer, W. H.: Note on the kinetics of emulsion polymerization, 314
Szwarc, M.: see Buckley, R. P.
Takenaka, H.: The interaction parameter for solutions of nitrocellulose in acetone, 321
Tamberg, N.: see Meehan, E. J.
Teare, P. W., and Holmes, D. R.: Extra reflections in the x-ray diffraction pattern of polyethylenes and polymethylenes, 496
Thomas, W. M., Gleason, E. H., and Mino, G.: Acrylonitrile polymerization in aqueous suspensions, 43
Till, Jr., P. H.: The growth of single crystals of linear polyethylene, 301
Tobin, M. C., and Carrano, M. J.: Infrared determination of orientation, orientation distribution, and crystallinity in polyethylene films, 93
Tung, L. H.: Molecular weight-intrinsic viscosity relationship and molecular weight distribution of low pressure polyethylenes, 333
Valentine, L.: Some aspects of the direct and cyclohexanone-sensitized photopolymerization of vinyl chloride, 439
Van Holde, K.: A study of the creep of nitrocellulose, 417
Veselý, K.: see Zlámal, Z.
Volman, D. H.: see Bettelheim, F. A.
Vrancken, M. N., and Ferry, J. D.: Dilatometric measurements on gels of cellulose tributyrate and cellulose nitrate, 27
Ward, W. H.: Relationships among variously weighted average properties including molecular weights, 11
Watanabe, M.: see Nishioka, A.
Wilde-Delvaux, M. C. de: see Rondou, S.
Woestenenk, J. M.: see Boasson, E. H.
Wunderlich, B., and Dole, M.: Specific heat of synthetic high polymers. VIII. Low pressure polyethylene, 201
——: see Dole, M.
Yates, W. F.: see Ehrlich, P.
Zlámal, Z., Ambrož, L., and Veselý, K.: Influence of impurities on the cationic polymerization of isobutene, 285

SUBJECT INDEX, VOLUME XXIV

Acrylonitrile, polymerization, 43
Birefringence, biaxially oriented films, 383
Calcium pectate, sorption of water vapor, 485
Cationic polymerization, isobutene, 285
Cellulose acetate, molecular weight, 19
Cellulose fibers, crystallite orientation, 317
Cellulose-methanol, 67
Cellulose nitrate, dilatometric measurements on gels of, 27
Cellulose tributyrate, dilatometric measurements on gels of, 27
Cellulose tricaprylate, melting, 307
Chain transfer, *p*-methoxystyrene ionic polymerization, 143
Condensation polymers, fluorine containing, 33
Crystallinity, of polyethylene films, 93
Dielectric dispersion, for determination of cellulose acetate molecular weight, 19
Diffusion, volatile decomposition products in thick polymer films, 481
Dimethylpolysiloxanes, viscometric properties, 1
Elasticity, polytetrafluoroethylene, 298
Emulsion polymerization, kinetics, 314
  rate of particle growth, 401
  styrene, mechanism of retardation, 215
Ethylene, oxygen-initiated polymerization, 223
Fibers, porosity, 150
Graft copolymers, preparation, 367
Graft polymers, with preset molecular configurations, 467
Ionic grafting, 85
Ionic polymerization, of *p*-methoxystyrene, 143
Infrared spectra, of polyethylene films, 93
Intrinsic viscosity, relationship to molecular weight in polyethylene, 333
Isobutene, cationic polymerization, 285
β-Isocyanatoethyl methacrylate, and graft copolymers preparation, 367
Latex suspensions, particle size determination, 147
Leather, permeability to water, 63
Light scattering, polyethylene, 156
  reflection corrections, 493
  standards for molecular weight determinations, 155
  thin polymer films, 455
Mechanical relaxation spectra, dependence on molecular weight distribution, 233
Methanol-cellulose, 67
p-Methoxystyrene, chain transfer in ionic polymerization of, 143
Methyl methacrylate, new polymerization catalysts for, 75
Molecular weight, cellulose acetate, 19
  light scattering standard for determinations, 155
  nitrocellulose, 353
  relationship to intrinsic viscosity in polyethylene, 333
  relationship to various weighed average properties, 11
Molecular weight distribution, dependence of mechanical relaxation spectra on, 233
  in polyethylene, 333
Nitrocellulose, creep, 417
  interaction parameter in acetone solutions, 321
  molecular weight determination, 353
Nuclear magnetic resonance, fluorine derivatives of polyethylene, 173
Nylon 66, crystallization, 57
  effect of organic acids on diffusion of Orange II in, 124
Orientation, of polyethylene films, 93
Osmosis, anomalous results due to partial drying of the cellophane membranes, 492
  and molecular weight of nitrocellulose, 353
Particle growth, in emulsion polymerization, 401
Pectic substances, and water, 445
Permeability, of plastics and leather to water, 63
Photooxidative erosion, polymer films, 311
Photopolymerization, vinyl chloride, 439
Plastics, permeability to water, 63
Polyacrylonitrile, color formation, 152
Polycaprolactam, influence of water on degree of polymerization, 488
Polyesters, from fluorine-containing diols, 33
Polyethylene, aging of, 138
  behavior from heat degradation studies, 499
  infrared determinations on films of, 93
  light scattering, 156
  long range molecular order, 291
  molecular weight distribution, 333
  molecular weight-intrinsic viscosity relationship, 333
  nuclear magnetic resonance of fluorine derivatives, 173
  permeability to liquids, 387
  single crystal growth, 301
  specific heat, 201
  x-ray diffraction pattern extra reflections, 496
Polymethacroyl chloride, reaction with diazomethane, 261
Polymethylenes, x-ray diffraction pattern extra reflections, 496
Polystyrene, blends with rubber, 297
  dimensions in solution, 275
  and graft copolymers preparation, 367
  isotactic and atactic, 161
Polytetrafluoroethylene, viscosity and elasticity, 298
  wettability and friction, 461
Polyvinyl alcohol, viscosity, 125
Proteins, globular, mean relaxation times, 105
Relaxation times, globular proteins, 105

Reviews
Steric effects in organic chemistry, M. S. Newman, ed., 444
Ordnungszustände und Umwandlungserscheinungen in festen hochpolymeren Stoffen, H. A. Stuart, ed., 502
Rubber, blends with polystyrene, 297
elasticity, verification of the network theory, 479
natural, grafting in, 292
tensile strength, 189
Semicrystalline copolymers, melting range, 139
Styrene, mechanism of retardation in emulsion polymerization, 215
Vinyl chloride, photopolymerization, 439
Vinylidene cyanide, anomalous behavior, 349
Vinyl monomers, methyl affinities, 135
Viscometric properties, dimethylpolysiloxanes, 1
Viscometry, for critical concentration in polymer solution, 429
nomenclature, 484
Viscosity, polytetrafluoroethylene, 298
polyvinyl alcohol, 125
X-ray diffraction patterns, extra reflections of polyethylenes and polymethylenes, 496